

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2868	709/203.ccls.	USPAT	OR	ON	2005/09/26 18:47
L2	54	(data near transmission near speed near3 modem)	USPAT	OR	ON	2005/09/26 18:47
L3	2	(baut adj rate).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 18:47
L4	2	(baut adj rate)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 18:47
L5	50	(data adj transmission adj speed near2 modem)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 18:47
L6	2	"5791992".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 18:47
L7	2	"5971855".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 18:47
L8	1	(baud adj rate adj select\$3) and serial same connection and (message character string) and cache and (host client) same (pc device terminal computer station)	USPAT	OR	ON	2005/09/26 18:47
L9	223	(baud adj rate adj select\$3)	USPAT	OR	ON	2005/09/26 18:47
L10	171	(baud adj rate adj select\$3) and (null adj modem or ( message string character))	USPAT	OR	ON	2005/09/26 18:47
L11	5	(baud adj rate adj select\$3) and (null adj modem and ( message string character))	USPAT	OR	ON	2005/09/26 18:47
L12	2	(baud adj rate adj select\$3) and 709/203.ccls.	USPAT	OR	ON	2005/09/26 18:47
L13	26	(baud adj rate adj select\$3) same table	USPAT	OR	ON	2005/09/26 18:47
L14	15	463/42.ccls. and (baud adj rate)	USPAT	OR	ON	2005/09/26 18:47
L15	5040	baud adj rate	USPAT	OR	ON	2005/09/26 18:47

L16	31	baud adj rate near selector	USPAT	OR	ON	2005/09/26 18:47
L17	4	baud adj rate near selector same detect\$3	USPAT	OR	ON	2005/09/26 18:47
L18	1	(baud adj rate) near detector and select\$3 and table and serial near connect\$4	USPAT	OR	ON	2005/09/26 18:47
L19	13	(baud adj rate adj select\$3) and (null adj modem or ( message string character))and (message detector) and listen	USPAT	OR	ON	2005/09/26 18:47
L20	2	(baud adj rate adj select\$3) and (null adj modem or ( message string character))and (message detector) and listen near5 message	USPAT	OR	ON	2005/09/26 18:47
L21	35	(baud adj rate adj select\$3) and (null adj modem or ( message string character))and (message detector) and audio	USPAT	OR	ON	2005/09/26 18:47
L22	1	"6266339".pn. and (baud adj rate)	USPAT	OR	ON	2005/09/26 18:47
L23	1	"6266339".pn. and (baud adj rate) and table	USPAT	OR	ON	2005/09/26 18:47
L24	1	"6263396".pn. and (baud adj rate)	USPAT	OR	ON	2005/09/26 18:47
L25	5	(message audio) adj select\$3 same (listen\$3 hear\$3 detect\$3) same (baud data adj rate)	USPAT	OR	ON	2005/09/26 18:47
L26	0	(message audio) adj select\$3 same (listen\$3 hear\$3) same (baud data adj rate)	USPAT	OR	ON	2005/09/26 18:47
L27	22832	(baud data adj rate) and (list table)	USPAT	OR	ON	2005/09/26 18:47
L28	3223	(baud adj rate) and (list table)	USPAT	OR	ON	2005/09/26 18:47
L29	22	(baud adj rate) near (list table)	USPAT	OR	ON	2005/09/26 18:47
L30	271	379/93.08.ccls.	USPAT	OR	ON	2005/09/26 18:47
L31	152	379/2.ccls.	USPAT	OR	ON	2005/09/26 18:47
L32	2868	709/203.ccls.	USPAT	OR	ON	2005/09/26 18:47
L33	1	"5490209".pn.	USPAT	OR	ON	2005/09/26 18:47
L34	290	"709"/\$.ccls. and (baud or baut) adj rate	USPAT	OR	ON	2005/09/26 18:47
L35	0	"709"/\$.ccls. and (baud or baut) adj rate and ((predetermin\$3) adj (period and message))	USPAT	OR	ON	2005/09/26 18:47
L36	158	"709"/\$.ccls. and (baud or baut) adj rate and (period and message)	USPAT	OR	ON	2005/09/26 18:47

L37	3	"709"/\$.ccls. and (baud or baut) adj rate and (period and message) and (baud baut adj rate).ab.	USPAT	OR	ON	2005/09/26 18:47
L38	3	"709"/\$.ccls. and (baud or baut) adj rate and (period and message) and predetermined and (baut baud).ab.	USPAT	OR	ON	2005/09/26 18:47
L39	113	"709"/\$.ccls. and (baud or baut) adj rate and (period and message) and predetermined	USPAT	OR	ON	2005/09/26 18:47
L40	92	"709"/\$.ccls. and (baud or baut) adj rate and (period and message) and predetermined and detect\$5	USPAT	OR	ON	2005/09/26 18:47
L41	14	"709"/\$.ccls. and (baud or baut) adj rate and (period and message) and predetermined and detect\$5 same (baut baut adj rate)	USPAT	OR	ON	2005/09/26 18:47
L42	25	709/206,203.ccls. and (baud or baut) adj rate and (period and message)	USPAT	OR	ON	2005/09/26 18:47
L43	0	379/97.ccls. and (baud or baut) adj rate and (period and message)	USPAT	OR	ON	2005/09/26 18:47
L44	0	379/97.ccls. and (baud or baut) adj rate	USPAT	OR	ON	2005/09/26 18:47
L45	1	(baud adj rate adj select\$3) and serial same connection and (message character string) and cache and (host client) same (pc device terminal computer station)	USPAT	OR	ON	2005/09/26 18:47
L46	5040	baud adj rate	USPAT	OR	ON	2005/09/26 18:47
L47	2	(baud adj rate adj select\$3) and (null adj modem or ( message string character))and (message detector) and listen near5 message	USPAT	OR	ON	2005/09/26 18:47
L48	0	(message audio) adj select\$3 same (listen\$3 hear\$3) same (baud data adj rate)	USPAT	OR	ON	2005/09/26 18:47
L49	22832	(baud data adj rate) and (list table)	USPAT	OR	ON	2005/09/26 18:47
L50	3223	(baud adj rate) and (list table)	USPAT	OR	ON	2005/09/26 18:47
L51	290	"709"/\$.ccls. and (baud or baut) adj rate	USPAT	OR	ON	2005/09/26 18:47
L52	0	"709"/\$.ccls. and (baud or baut) adj rate and ((predetermin\$3) adj (period and message))	USPAT	OR	ON	2005/09/26 18:47
L53	158	"709"/\$.ccls. and (baud or baut) adj rate and (period and message)	USPAT	OR	ON	2005/09/26 18:47

L54	3	"709"/\$.ccls. and (baud or baut) adj rate and (period and message) and predetermined and (baut baud).ab.	USPAT	OR	ON	2005/09/26 18:47
L55	92	"709"/\$.ccls. and (baud or baut) adj rate and (period and message) and predetermined and detect\$5	USPAT	OR	ON	2005/09/26 18:47
L56	25	709/206,203.ccls. and (baud or baut) adj rate and (period and message)	USPAT	OR	ON	2005/09/26 18:47
L57	0	379/97.ccls. and (baud or baut) adj rate and (period and message)	USPAT	OR	ON	2005/09/26 18:47
L58	0	379/97.ccls. and (baud or baut) adj rate	USPAT	OR	ON	2005/09/26 18:47
L59	1	(baud adj rate) near detector and select\$3 and table and serial near connect\$4	USPAT	OR	ON	2005/09/26 18:47
L60	1	"6266339".pn. and (baud adj rate)	USPAT	OR	ON	2005/09/26 18:47
L61	1	"6266339".pn. and (baud adj rate) and table	USPAT	OR	ON	2005/09/26 18:47
L62	1	"6263396".pn. and (baud adj rate)	USPAT	OR	ON	2005/09/26 18:47
L63	1	"5490209".pn.	USPAT	OR	ON	2005/09/26 18:47
L64	54	(data near transmission near speed near3 modem)	USPAT	OR	ON	2005/09/26 18:47
L65	2	(baut adj rate).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 18:47
L66	2	(baut adj rate)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 18:47
L67	50	(data adj transmission adj speed near2 modem)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 18:47
L68	2	"5791992".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 18:47
L69	2	"5971855".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 18:47

L70	5	(baud adj rate adj select\$3) and (null adj modem and ( message string character))	USPAT	OR	ON	2005/09/26 18:47
L71	2	(baud adj rate adj select\$3) and 709/203.ccls.	USPAT	OR	ON	2005/09/26 18:47
L72	26	(baud adj rate adj select\$3) same table	USPAT	OR	ON	2005/09/26 18:47
L73	15	463/42.ccls. and (baud adj rate)	USPAT	OR	ON	2005/09/26 18:47
L74	31	baud adj rate near selector	USPAT	OR	ON	2005/09/26 18:47
L75	4	baud adj rate near selector same detect\$3	USPAT	OR	ON	2005/09/26 18:47
L76	13	(baud adj rate adj select\$3) and (null adj modem or ( message string character))and (message detector) and listen	USPAT	OR	ON	2005/09/26 18:47
L77	35	(baud adj rate adj select\$3) and (null adj modem or ( message string character))and (message detector) and audio	USPAT	OR	ON	2005/09/26 18:47
L78	5	(message audio) adj select\$3 same (listen\$3 hear\$3 detect\$3) same (baud data adj rate)	USPAT	OR	ON	2005/09/26 18:47
L79	22	(baud adj rate) near (list table)	USPAT	OR	ON	2005/09/26 18:47
L80	3	"709"/\$.ccls. and (baud or baut) adj rate and (period and message) and (baud baut adj rate).ab.	USPAT	OR	ON	2005/09/26 18:47
L81	14	"709"/\$.ccls. and (baud or baut) adj rate and (period and message) and predetermined and detect\$5 same (baut baud adj rate)	USPAT	OR	ON	2005/09/26 18:47
L82	171	(baud adj rate adj select\$3) and (null adj modem or ( message string character))	USPAT	OR	ON	2005/09/26 18:47
L83	152	379/2.ccls.	USPAT	OR	ON	2005/09/26 18:47
L84	113	"709"/\$.ccls. and (baud or baut) adj rate and (period and message) and predetermined	USPAT	OR	ON	2005/09/26 18:47
L85	223	(baud adj rate adj select\$3)	USPAT	OR	ON	2005/09/26 18:47
L86	271	379/93.08.ccls.	USPAT	OR	ON	2005/09/26 18:47
L87	1	(baud adj rate adj select\$3) and serial same connection and (message character string) and cache and (host client) same (pc device terminal computer station)	USPAT	OR	ON	2005/09/26 18:47
L88	5040	baud adj rate	USPAT	OR	ON	2005/09/26 18:47

L89	2	(baud adj rate adj select\$3) and (null adj modem or ( message string character))and (message detector) and listen near5 message	USPAT	OR	ON	2005/09/26 18:47
L90	0	(message audio) adj select\$3 same (listen\$3 hear\$3) same (baud data adj rate)	USPAT	OR	ON	2005/09/26 18:47
L91	22832	(baud data adj rate) and (list table)	USPAT	OR	ON	2005/09/26 18:47
L92	3223	(baud adj rate) and (list table)	USPAT	OR	ON	2005/09/26 18:47
L93	290	"709"/\$.ccls. and (baud or baut) adj rate	USPAT	OR	ON	2005/09/26 18:47
L94	0	"709"/\$.ccls. and (baud or baut) adj rate and ((predetermin\$3) adj (period and message))	USPAT	OR	ON	2005/09/26 18:47
L95	158	"709"/\$.ccls. and (baud or baut) adj rate and (period and message)	USPAT	OR	ON	2005/09/26 18:47
L96	3	"709"/\$.ccls. and (baud or baut) adj rate and (period and message) and predetermined and (baut baud).ab.	USPAT	OR	ON	2005/09/26 18:47
L97	92	"709"/\$.ccls. and (baud or baut) adj rate and (period and message) and predetermined and detect\$5	USPAT	OR	ON	2005/09/26 18:47
L98	25	709/206,203.ccls. and (baud or baut) adj rate and (period and message)	USPAT	OR	ON	2005/09/26 18:47
L99	0	379/97.ccls. and (baud or baut) adj rate and (period and message)	USPAT	OR	ON	2005/09/26 18:47
L100	0	379/97.ccls. and (baud or baut) adj rate	USPAT	OR	ON	2005/09/26 18:47
L101	1	(baud adj rate) near detector and select\$3 and table and serial near connect\$4	USPAT	OR	ON	2005/09/26 18:47
L102	1	"6266339".pn. and (baud adj rate)	USPAT	OR	ON	2005/09/26 18:47
L103	1	"6266339".pn. and (baud adj rate) and table	USPAT	OR	ON	2005/09/26 18:47
L104	1	"6263396".pn. and (baud adj rate)	USPAT	OR	ON	2005/09/26 18:47
L105	1	"5490209".pn.	USPAT	OR	ON	2005/09/26 18:47
L106	54	(data near transmission near speed near3 modem)	USPAT	OR	ON	2005/09/26 18:47
L107	2	(baut adj rate).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 18:47

L108	2	(baut adj rate)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 18:47
L109	50	(data adj transmission adj speed near2 modem)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 18:47
L110	2	"5791992".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 18:47
L111	2	"5971855".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 18:47
L112	5	(baud adj rate adj select\$3) and (null adj modem and ( message string character))	USPAT	OR	ON	2005/09/26 18:47
L113	2	(baud adj rate adj select\$3) and 709/203.ccls.	USPAT	OR	ON	2005/09/26 18:47
L114	26	(baud adj rate adj select\$3) same table	USPAT	OR	ON	2005/09/26 18:47
L115	15	463/42.ccls. and (baud adj rate)	USPAT	OR	ON	2005/09/26 18:47
L116	31	baud adj rate near selector	USPAT	OR	ON	2005/09/26 18:47
L117	4	baud adj rate near selector same detect\$3	USPAT	OR	ON	2005/09/26 18:47
L118	13	(baud adj rate adj select\$3) and (null adj modem or ( message string character))and (message detector) and listen	USPAT	OR	ON	2005/09/26 18:47
L119	35	(baud adj rate adj select\$3) and (null adj modem or ( message string character))and (message detector) and audio	USPAT	OR	ON	2005/09/26 18:47
L120	5	(message audio) adj select\$3 same (listen\$3 hear\$3 detect\$3) same (baud data adj rate)	USPAT	OR	ON	2005/09/26 18:47
L121	22	(baud adj rate) near (list table)	USPAT	OR	ON	2005/09/26 18:47
L122	3	"709"/\$.ccls. and (baud or baut) adj rate and (period and message) and (baud baut adj rate).ab.	USPAT	OR	ON	2005/09/26 18:47

L123	14	"709"/\$.ccls. and (baud or baut) adj rate and (period and message) and predetermined and detect\$5 same (baut baud adj rate)	USPAT	OR	ON	2005/09/26 18:47
L124	171	(baud adj rate adj select\$3) and (null adj modem or ( message string character))	USPAT	OR	ON	2005/09/26 18:47
L125	152	379/2.ccls.	USPAT	OR	ON	2005/09/26 18:47
L126	113	"709"/\$.ccls. and (baud or baut) adj rate and (period and message) and predetermined	USPAT	OR	ON	2005/09/26 18:47
L127	223	(baud adj rate adj select\$3)	USPAT	OR	ON	2005/09/26 18:47
L128	271	379/93.08.ccls.	USPAT	OR	ON	2005/09/26 18:47
L129	2868	709/203.ccls.	USPAT	OR	ON	2005/09/26 18:47
L130	2868	709/203.ccls.	USPAT	OR	ON	2005/09/26 18:47
L131	2868	709/203.ccls.	USPAT	OR	ON	2005/09/26 18:47
L132	2868	709/203.ccls.	USPAT	OR	ON	2005/09/26 18:47
L133	1	"6675215".pn.	USPAT	OR	ON	2005/09/26 18:50